



# SAFETY DATA SHEET

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME** : SP HYDRAULIC AW

**ISO VISCOSITY GRADE** : 68

**RECOMMENDED USE** : Hydraulic Oil.

**RESTRICTIONS ON USE** : This product should not be used for any other purpose than that recommended without expert advice.

**COMPANY IDENTIFICATION** : AP SAIGON PETRO JSC

1<sup>st</sup> Floor, 6B Ton Duc Thang Street, Ben Nghe Ward, District 1, HCMC.

Tel: (028) 38224848 Fax: (028) 38243959

E-mail: info@apsaigonpetro.com.vn

**EMERGENCY TELEPHONE** : 1900 0104 (Technical Assistance)

114 (Fire)

115 (Ambulance)

## 2. HAZARDS IDENTIFICATION

This product is not considered to be hazardous according to regulatory guidelines.

**HAZARD CLASSIFICATIONS** : No significant hazard.

**SIGNAL WORDS** : No signal word.

**HAZARD STATEMENTS** : No significant hazard.

**SYMBOLS** : No symbol

**OTHER HAZARDS** : High-pressure injection under skin may cause serious damage. Excessive exposure may result in eye, skin, or respiratory irritation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**CHEMICAL NAME AND SYNONYMS** : Petroleum hydrocarbon and additives.

**HAZARDOUS INGREDIENTS** : No reportable hazardous or complex substances.

## 4. FIRST AID MEASURES

**INHALATION** : Call a POISON CENTRE or doctor/physician if the victim feels unwell. Do not use mouth-to-mouth resuscitation if exposure to hydrogen sulfide is suspected.

**SKIN CONTACT** : If irritation occurs, get medical attention.

**EYE CONTACT** : If irritation persists, get medical attention.

**INGESTION** : Call a POISON CENTRE or doctor/physician if the victim feels unwell.

## 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA** :

- **Appropriate Extinguishing Media** : Water fog, foam, dry powder or carbon dioxide.
- **Inappropriate Extinguishing Media** : Straight stream of water.

**FIRE FIGHTING** :



- **Fire Fighting Instructions** : Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.
- **Hazardous Combustion Products** : Smoke, fume, aldehydes, oxides of carbon, sulfur oxides, nitrogen oxides, metal oxides, hydrogen sulfide, mercaptans, phosphorous oxides, incomplete combustion products.

## 6. ACCIDENTAL RELEASE MEASURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### PROTECTIVE MEASURES :

- Avoid contact with spilled material.
- Do not touch or walk through spilled material.
- Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders. (Refer Section 8)

### SPILL MANAGEMENT :

- **Land Spill** : Stop leak if you can do so without risk. Recover by pumping or with suitable absorbent.
- **Water Spill** : Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Notify port or relevant authority and keep public away. Remove from surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

Water spill and land spill recommendations are based on the most likely spill scenario for this material. However, geographic conditions, wind, temperature, wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted.

### ENVIRONMENTAL PRECAUTION :

- **Small Spill** : Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
- **Large Spill** : Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

## 7. HANDLING AND STORAGE

**HANDLING** : This product contains zinc dialkylthiophosphate (ZDDP). It is temperature sensitive, do not reheat above the recommended temperature. This product is a static accumulator.

**STORAGE** : Store in accordance with applicable laws and regulations and material.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**EXPOSURE LIMIT** : ACGIH TLV/TWA ACGIH STEL OSHA PEL

Oil mist, refined mineral 5mg/m<sup>3</sup> 10mg/m<sup>3</sup> 5mg/m<sup>3</sup>

**ENGINEERING CONTROLS** : No special requirements under ordinary conditions of use and with adequate ventilation.

**PERSONAL PROTECTION** : The use and choice of Personal Protection Equipment is related to the hazard of the product, the workplace, and the way the product is handled.

- **Eye protection** : If contact is likely, safety glasses with side shields are recommended.

**Skin and Body Protection** : No skin protection is required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

- **Hand Protection** : No special requirements under ordinary conditions of use and with adequate ventilation.
- **Respiratory Protection** : No special requirements under ordinary conditions of use and with adequate



ventilation.

• **Specific Hygiene Measures** : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : Liquid  
COLOUR : Max 2.0  
ODOUR : Slight Mineral Oil  
ODOUR THRESHOLD : N/D  
KINEMATIC VISCOSITY @40°C: 62-74cSt  
PH : N/A  
MELTING POINT/FREEZING POINT : N/D  
POUR POINT : Max -3  
BOILING POINT / RANGE : N/D  
FLASH POINT [METHOD] : Min. 220°C (428°F) [ASTM D92]  
EVAPORATION RATE : < 0.01  
FLAMMABILITY : N/D  
FLAMMABLE LIMITS (approximate volume % in air) : N/D  
VAPOUR PRESSURE : N/D  
VAPOUR DENSITY (air = 1): N/D  
SPECIFIC GRAVITY (water = 1.0): Approximately 0.8 -0.95 at 15°C  
SOLUBILITY IN WATER : N/D  
PARTITION COEFFICIENT (n-octanol/water) : N/D  
AUTOIGNITION TEMPERATURE : N/D  
DECOMPOSITION TEMPERATURE : N/D

## 10. STABILITY AND REACTIVITY

**REACTIVITY** : No reactivity hazards are known for the product.

**CHEMICAL STABILITY** : Product is stable under normal conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS** : No known hazardous reactions.

**CONDITIONS TO AVOID** : Excessive heat, sources of ignition.

**INCOMPATIBLE MATERIALS** : Strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS** : Product does not decompose at ambient temperatures.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** : No data available.

**SKIN CORROSION / IRRITATION** : Minimally toxic. Negligible irritation at ambient temperatures.

**SERIOUS EYE DAMAGE / IRRITATION** : May cause mild, short-lasting discomfort to eyes.

**RESPIRATORY OR SKIN SENSITIZATION** : If this product is over-heated especially in the presence of water, hydrogen sulfide may be released, causes respiratory collapse, coma and even death without any odor being sensed.

**GERM CELL MUTAGENICITY** : No data available to indicate this product or any of its components is mutagenic or genotoxic.



**CARCINOGENICITY** : Not carcinogenic in animal studies.

**REPRODUCTIVE TOXICITY** : No data available to indicate this product or any of its components causes reproductive toxicity.

**TERATOLOGY** : No data available.

**SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)** : No data available.

**SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)** : No data available.

**ASPIRATION HAZARD** : No data available.

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**TOXICITY** : This product is not expected to be harmful to aquatic organisms.

**PERSISTENCE AND DEGRADABILITY** : Expected to show limited biodegradation potential.

**BIOACCUMULATION POTENTIAL** : No data available.

**MOBILITY IN SOIL** : Expected to migrate from water to land, adsorb to sediment and soil.

## 13. DISPOSAL CONSIDERATION

**WASTE DISPOSAL** : This product should not be allowed to enter waterways or soil. Not suitable for landfill. Offer surplus and non-recyclable solutions to a licensed disposal company. Dispose of contents/containers in accordance with applicable laws and regulations and material characteristics at time of disposal.

**EMPTY CONTAINER WARNING (where applicable)** : Empty containers may contain residue and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Do not attempt to refill or clean containers without proper instructions. Empty containers should be completely drained, properly bunged and promptly returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

## 14. TRANSPORT INFORMATION

**LAND** : Not regulated for Land Transport.

**SEA(IMDG)** : Not regulated for Sea Transport according to IMDG-Code.

**AIR(IATA)**: Not regulated for Air Transport.

## 15. REGULATORY INFORMATION

Not dangerous for conveyance under UN, ADR/RID, IMO and IATA/ICAO.  
All components comply with TSCA. EU labeling not required.

## 16. OTHER INFORMATION

**N/D = Not determined, N/A = Not applicable**

**No revision information is available.**

The information contained in this document is based upon data believed to be reliable at the time of going to press and relates only to the matters specifically mentioned in this document. Although AP SAIGON PETRO JSC has used reasonable skill and care in the preparation of this information, in the absence of any overriding obligations arising under a specific contract, no presentation, warranty (express or implied), or guarantee is made as to the suitability, accuracy, reliability or completeness of the information; nothing in this document shall reduce the user's



SDS No. SP/033  
Revision Date: 04/05/2020

responsibility to satisfy itself as to the suitability, accuracy, reliability , and completeness of such information for its particular use; there is no warranty against the intellectual property infringement; and AP SAIGON PETRO JSC shall not be liable for any loss, damage or injury that may occur from the use of this information other than death or personal injury caused by its negligence. No statement shall be construed as an endorsement of any product or process. For greater certainty, before use of information contained in this document, particularly if the product is used for a purpose or under conditions which are abnormal or not reasonably foreseeable, this information must be reviewed with the supplier of such information.